



P.C.B LAYOUT(copper-sided view)



| | | | |
|-----------|------------|------------|------------|
| Model No. | PJ-3280C-A | PJ-3280C-B | PJ-3280C-C |
| Schematic | | | |
| Model No. | PJ-3280C-D | PJ-3280C-E | PJ-3280C-F |
| Schematic | | | |

Rating:0.5A 30V DC
 Contact Resistance:100 mΩ Max.
 Operating temperature:-20℃~70℃
 Operating force:3-20N
 Operating Life:5,000cycles

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------|-----------------|--------------|---------------------|-------------|--------------|------------|---|-----------------|------------|-----------|---|-------|-------|------|-----------|---------|------|----------|-----------|--------|-----------|--|------|--|--|--|--|-----------------|--|------------|--|---------------------|--|--|---------|--|--|--|-------------------|--|--|-----------|--|--|--|------------|--|--|----------------|--|---------|-------|-------|----------|-------|--|--|---------|-------|--|------------|--|--|--|--------|-------|-----|-------------|--------------|--|--|-----|-------|--|--|--|
| ECN NO. | REV. | DATE. | DESCRIPTION. | CHANGE. | CHECK. | APPRO. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | A | | NEW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>② Terminal</td> <td>6</td> <td>Phosphor bronze</td> <td>Au Plating</td> </tr> <tr> <td>① Housing</td> <td>1</td> <td>Nylon</td> <td>Black</td> </tr> <tr> <td>ITEM</td> <td>PART NAME</td> <td>TER.NO.</td> <td>QTY.</td> <td>MATERIAL</td> <td>FINISHING</td> <td>REMARK</td> </tr> <tr> <td colspan="2">APPROVALS</td> <td colspan="2">DATE</td> <td colspan="3"></td> </tr> <tr> <td colspan="2">DRAWN J.X.Zhang</td> <td colspan="2">2013/11/11</td> <td colspan="3">TITLE: PHONE JACKES</td> </tr> <tr> <td colspan="2">CHECKED</td> <td colspan="2"></td> <td colspan="3">PART NO. PJ-3280C</td> </tr> <tr> <td colspan="2">APPROVALS</td> <td colspan="2"></td> <td colspan="3">SCALE: 1:1</td> </tr> <tr> <td colspan="2">TOLERANCES ARE</td> <td>30~0.15</td> <td>±0.30</td> <td>ANGLE</td> <td>UNIT: mm</td> <td>PROJ. </td> </tr> <tr> <td colspan="2"></td> <td>10~0.30</td> <td>±0.20</td> <td></td> <td>SCALE: 1:1</td> <td></td> </tr> <tr> <td colspan="2"></td> <td>5~0.10</td> <td>±0.15</td> <td>±2'</td> <td>DRAWING NO.</td> <td>SHEET 1 OF 1</td> </tr> <tr> <td colspan="2"></td> <td>~ 5</td> <td>±0.10</td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | ② Terminal | 6 | Phosphor bronze | Au Plating | ① Housing | 1 | Nylon | Black | ITEM | PART NAME | TER.NO. | QTY. | MATERIAL | FINISHING | REMARK | APPROVALS | | DATE | | | | | DRAWN J.X.Zhang | | 2013/11/11 | | TITLE: PHONE JACKES | | | CHECKED | | | | PART NO. PJ-3280C | | | APPROVALS | | | | SCALE: 1:1 | | | TOLERANCES ARE | | 30~0.15 | ±0.30 | ANGLE | UNIT: mm | PROJ. | | | 10~0.30 | ±0.20 | | SCALE: 1:1 | | | | 5~0.10 | ±0.15 | ±2' | DRAWING NO. | SHEET 1 OF 1 | | | ~ 5 | ±0.10 | | | |
| ② Terminal | 6 | Phosphor bronze | Au Plating | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① Housing | 1 | Nylon | Black | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ITEM | PART NAME | TER.NO. | QTY. | MATERIAL | FINISHING | REMARK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| APPROVALS | | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DRAWN J.X.Zhang | | 2013/11/11 | | TITLE: PHONE JACKES | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CHECKED | | | | PART NO. PJ-3280C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| APPROVALS | | | | SCALE: 1:1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOLERANCES ARE | | 30~0.15 | ±0.30 | ANGLE | UNIT: mm | PROJ. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 10~0.30 | ±0.20 | | SCALE: 1:1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 5~0.10 | ±0.15 | ±2' | DRAWING NO. | SHEET 1 OF 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ~ 5 | ±0.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p style="text-align: center;">HYROELECTRONICS ELECTRONICS CO.,LTD</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |